

Actual Size (zoom to 100 %) Mac: Command • Option • 0 PC: Control • Alt • 0 Selection: ☐ Toggle Platform: All Key gesture:	Description Sets the Composition view to 100% zoom.	Focus: Composition Window Timeline Window
Actual Size (zoom to 100 %) Mac: Double-click PC: Double-click Selection: ☐ Toggle Zoom or Hand Tool Platform: All Key gesture:	Description Sets the Composition view to 100% zoom.	Focus: Hand tool Zoom tool
Composition Settings... Mac: Command • Shift • N PC: Control • Shift • N Selection: ☐ Toggle Platform: All Key gesture:	Description Opens the Composition Settings dialog.	Focus: Composition Window Timeline Window
Constrain placement to 45° Mac: Shift • Drag PC: Shift • Drag Selection: ☐ Toggle Objects, path control points Platform: All Key gesture:	Description When moving an object or path control point in the canvas, holding the Shift key down will constrain its placement to 45° angles from its original position.	Focus: Composition Window All selection tools Pen Select tool Path Editing mode
Constrain rotation to 15° Mac: Shift • Drag PC: Shift • Drag Selection: ☐ Toggle Rotation handle, rotation widget, angle widget Platform: All Key gesture:	Description When rotating an object or an angle control, holding the Shift key down will constrain its rotation to 15° angles.	Focus: Composition Window Distort palette Opacity palette Transform palette Gradient palette 3D palette

Hand Tool Mac: Space Bar PC: Space Bar Selection: ☐ Toggle Platform: All Key gesture: Hold	Description Temporarily invokes the Hand tool.	Focus: Composition Window
Lock Guides Mac: Command • Option • ; (semi-colon) PC: Control • Alt • ; (semi-colon) Selection: ☒ Toggle Platform: All Key gesture:	Description When enabled, guides cannot be moved via dragging in the Comp. window.	Focus: Composition Window Timeline Window
Motion Path Mac: Command • Shift • H PC: Control • Shift • H Selection: ☒ Toggle Platform: All Key gesture:	Description Shows/Hides the Motion Path in the Composition window.	Focus: Composition Window Timeline Window
Move object and motion path Mac: Command • Option • Drag PC: Control • Alt • Drag Selection: ☐ Toggle Platform: All Key gesture: object	Description Moves an object and its motion path at the same time. This means all position keyframes are moved together, keeping the animation path intact.	Focus: Composition Window
Move object down 1 pixel Mac: Down Arrow PC: Down Arrow Selection: ☐ Toggle Platform: All Key gesture: Object	Description Moves the selected objects down 1 pixel	Focus: Composition Window

Move object down 10 pixels Mac: Shift • Down Arrow PC: Shift • Down Arrow Selection: Object ☐ Toggle Platform: All Key gesture: Description Moves the selected objects down 10 pixels Focus: Composition Window
Move object left 1 pixel Mac: Left Arrow PC: Left Arrow Selection: Object ☐ Toggle Platform: All Key gesture: Description Moves the selected objects to the left 1 pixel Focus: Composition Window
Move object left 10 pixels Mac: Shift • Left Arrow PC: Shift • Left Arrow Selection: Object ☐ Toggle Platform: All Key gesture: Description Moves the selected objects to the left 10 pixels Focus: Composition Window
Move object right 1 pixel Mac: Right Arrow PC: Right Arrow Selection: Object ☐ Toggle Platform: All Key gesture: Description Moves the selected objects to the right 1 pixel Focus: Composition Window
Move object right 10 pixels Mac: Shift • Right Arrow PC: Shift • Right Arrow Selection: Object ☐ Toggle Platform: All Key gesture: Description Moves the selected objects to the right 10 pixels Focus: Composition Window

Move object up 1 pixel Mac: Up Arrow PC: Up Arrow Selection: ☐ Toggle Object Platform: All Key gesture:	Description Moves the selected objects up 1 pixel	Focus: Composition Window
Move object up 10 pixels Mac: Shift • Up Arrow PC: Shift • Up Arrow Selection: ☐ Toggle Object Platform: All Key gesture:	Description Moves the selected objects up 10 pixels	Focus: Composition Window
Object Edges Mac: Command • H PC: Control • H Selection: ☒ Toggle Objects Platform: All Key gesture:	Description Shows/hides the bounding box of selected objects in the Composition window.	Focus: Composition Window Timeline Window
Offset layer Mac: Command • Drag PC: Control • Drag Selection: ☐ Toggle Object Platform: All Key gesture:	Description Offsets the current Object Layer from the center of the object's bounding box. Works with any of the Selection tools or the Transform tool.	Focus: Composition Window
Select a zoom area Mac: Click • Drag PC: Click • Drag Selection: ☐ Toggle Platform: All Key gesture:	Description Clicking and dragging with the Zoom tool will create a rectangular “zoom marquee” that determines an area of the canvas to be zoomed into.	Focus: Composition Window Zoom tool

Show Grid Mac: Command • ' (apostrophe) PC: Control • ' (apostrophe) Selection: ☒ Toggle Platform: All Key gesture:	Description Shows the grid lines in the Compositon window.	Focus: Composition Window Timeline Window
Show Guides Mac: Command • ; (semi-colon) PC: Control • ; (semi-colon) Selection: ☒ Toggle Platform: All Key gesture:	Description Shows/hides guide lines in the Composition window.	Focus: Composition Window Timeline Window
Show Rulers Mac: Command • R PC: Control • R Selection: ☒ Toggle Platform: All Key gesture:	Description Displays the rulers in the Composition window	Focus: Composition Window Timeline Window
Show/Hide Objects Off Canvas Mac: Command • Option • Shift • H PC: Control • Alt • Shift • H Selection: ☒ Toggle Platform: All Key gesture: Objects	Description Shows/Hides lines around objects that are off the canvas (i.e. in the gray area).	Focus: Composition Window Timeline Window
Snap To Grid Mac: Command • Shift • ' (apostrophe) PC: Control • Shift • ' (apostrophe) Selection: ☒ Toggle Platform: All Key gesture:	Description Turns on the snap-to-gridlines feature.	Focus: Composition Window Timeline Window

Snap To Guides Mac: Command • Shift • ; (semi-colon) PC: Control • Shift • ; (semi-colon) Selection: ☒ Toggle Platform: All Key gesture:	Description When on, dragged objects will snap to guides in the Composition window.	Focus: Composition Window Timeline Window
Zoom In (composition window) Mac: Command • = (equal) PC: Control • = (equal) Selection: ☐ Toggle Platform: All Key gesture:	Description Zooms the composition window in one factor. Composition window size does not change.	Focus: Composition Window Timeline Window
Zoom In (composition window) Mac: Command • + (plus) PC: Control • + (plus) Selection: ☐ Toggle Platform: All Key gesture:	Description Zooms the composition window in one factor. Composition window size does not change.	Focus: Composition Window Timeline Window
Zoom Out (composition window) Mac: Command • - (hyphen) PC: Control • - (hyphen) Selection: ☐ Toggle Platform: All Key gesture:	Description Zooms the composition window out one factor. Composition window size does not change.	Focus: Composition Window Timeline Window
Zoom Out (composition window) Mac: Command • - (minus) PC: Control • - (minus) Selection: ☐ Toggle Platform: All Key gesture:	Description Zooms the composition window out one factor. Composition window size does not change.	Focus: Composition Window Timeline Window

Apply item Mac: Return/Enter PC: Return/Enter Selection: Item in browser dialog ☐ Toggle Platform: All Key gesture:	Description Applies the currently selected item.	Focus: All Script Browsers
Apply item Mac: Enter PC: Enter Selection: Item in browser dialog ☐ Toggle Platform: All Key gesture:	Description Applies the currently selected item.	Focus: All Script Browsers
Apply item Mac: Double-click PC: Double-click Selection: Item in browser dialog ☐ Toggle Platform: All Key gesture:	Description Double-click applies the item clicked on.	Focus: All Script Browsers
Clear Mac: Delete (del) PC: Delete (del) Selection: Objects, keyframes, text ☐ Toggle Platform: All Key gesture:	Description Deletes the selected item. For text it deletes to the right of the cursor.	Focus: Composition Window Timeline Window Script Editor Automation Script Editor Palette fields Inline Text mode Path Editing mode
Close Window Mac: Command • W PC: Control • W Selection: ☐ Toggle Platform: All Key gesture:	Description Closes the active window.	Focus: Composition Window Timeline Window Script Editor Automation Script Editor Palette fields All palettes Inline Text mode Path Editing mode All Script Browsers

Collapse twisty Mac: Left Arrow PC: Left Arrow Selection: Item in tree display ☐ Toggle Platform: All Key gesture: <td> Description Collapse the current selection if it is expanded. </td> <td> Focus: Timeline Window Debugger All Script Browsers </td>	Description Collapse the current selection if it is expanded.	Focus: Timeline Window Debugger All Script Browsers
Collapse twisty Mac: - (minus) PC: - (minus) Selection: Heading in browser dialog ☐ Toggle Platform: All Key gesture: <td> Description Collapse the current selection. </td> <td> Focus: Timeline Window Debugger All Script Browsers </td>	Description Collapse the current selection.	Focus: Timeline Window Debugger All Script Browsers
Edit Original Mac: Command • Shift • M PC: Control • Shift • M Selection: Image file, EPS/AI/PDF file ☐ Toggle Platform: All Key gesture: <td> Description Opens the selected bitmap or vector in an external application for editing. </td> <td> Focus: Composition Window Timeline Window </td>	Description Opens the selected bitmap or vector in an external application for editing.	Focus: Composition Window Timeline Window
Enable Hide/Lock/Shy for one object only Mac: Option • Click PC: Alt • Click Selection: Shy icon, Lock icon, Hide icon ☒ Toggle Platform: All Key gesture: <td> Description Option-clicking on the Shy, Lock, or Hide icon in the Timeline will enable the setting for that object and disable that setting for all other objects. Option-clicking again will make the setting enabled for all objects. </td> <td> Focus: Timeline Window </td>	Description Option-clicking on the Shy, Lock, or Hide icon in the Timeline will enable the setting for that object and disable that setting for all other objects. Option-clicking again will make the setting enabled for all objects.	Focus: Timeline Window
Expand twisty Mac: Right Arrow PC: Right Arrow Selection: Item in tree display ☐ Toggle Platform: All Key gesture: <td> Description Expand the selected item if it is collapsed. </td> <td> Focus: Timeline Window Debugger All Script Browsers </td>	Description Expand the selected item if it is collapsed.	Focus: Timeline Window Debugger All Script Browsers

Expand twisty Mac: + (plus) PC: + (plus) Selection: Heading in browser dialog ☐ Toggle Platform: All Key gesture:	Description Expand the current selection.	Focus: Timeline Window Debugger All Script Browsers
Export Mac: Command • E PC: Control • E Selection: ☐ Toggle Platform: All Key gesture:	Description Exports the current composition. Shouldn't open the Export dialog unless the comp. hasn't been exported since last opened.	Focus: Composition Window Timeline Window Palette fields All palettes Inline Text mode Path Editing mode
Export As... Mac: Command • Shift • E PC: Control • Shift • E Selection: ☐ Toggle Platform: All Key gesture:	Description Opens the Export dialog.	Focus: Composition Window Timeline Window Palette fields Inline Text mode Path Editing mode
New Composition... Mac: Command • N PC: Control • N Selection: ☐ Toggle Platform: All Key gesture:	Description Opens a new composition. The Composition dialog will appear initially.	Focus: Composition Window Timeline Window Script Editor Automation Script Editor Palette fields All palettes Inline Text mode Path Editing mode All Script Browsers
Open... Mac: Command • O PC: Control • O Selection: ☐ Toggle Platform: All Key gesture:	Description Opens the Open dialog.	Focus: Composition Window Timeline Window Script Editor Automation Script Editor Palette fields All palettes Inline Text mode Path Editing mode All Script Browsers

Paste Style Mac: Command • B PC: Control • B Selection: ☐ Toggle object Platform: All Key gesture:	Description Pastes the style of a copied object onto the currently selected objects.	Focus: Composition Window Timeline Window
Place... Mac: Command • I PC: Control • I Selection: ☐ Toggle Platform: All Key gesture:	Description Opens the Place dialog.	Focus: Composition Window Timeline Window Palette fields All palettes Inline Text mode Path Editing mode
Place Sequence... Mac: Command • Option • Shift • I PC: Control • Alt • Shift • I Selection: ☐ Toggle Platform: All Key gesture:	Description Opens the Place Sequence dialog. When a sequential file is placed, it loads all other files in the naming sequence and embeds them into a single time-based object.	Focus: Composition Window Timeline Window
Preferences... Mac: Command • K PC: Control • K Selection: ☐ Toggle Platform: All Key gesture:	Description Opens the Preferences dialog.	Focus: Composition Window Timeline Window Palette fields All palettes Inline Text mode Path Editing mode
Print... Mac: Command • P PC: Control • P Selection: ☐ Toggle Platform: All Key gesture:	Description Prints the contents of the active window	Focus: Composition Window Timeline Window Script Editor Automation Script Editor Palette fields All palettes Inline Text mode Path Editing mode All Script Browsers

Print / Page Setup... Mac: Command • Shift • P PC: Control • Shift • P Selection: ☐ Toggle Platform: All Key gesture:	Description Opens the Page Setup dialog.	Focus: Composition Window Timeline Window Script Editor Automation Script Editor Palette fields All palettes Inline Text mode Path Editing mode All Script Browsers
Quit (Exit) Mac: Command • Q PC: Control • Q Selection: ☐ Toggle Platform: All Key gesture:	Description Quits the application	Focus: Composition Window Timeline Window Script Editor Automation Script Editor Palette fields All palettes Inline Text mode Path Editing mode All Script Browsers
Redo Mac: Command • Shift • Z PC: Control • Shift • Z Selection: ☐ Toggle Platform: All Key gesture:	Description Redoes the last undone operation. Used multiple times will step further back in the Undo stack. Note: this will not repeat an action if it was not undone first.	Focus: Composition Window Timeline Window Script Editor Automation Script Editor Palette fields Inline Text mode Path Editing mode
Replace Mac: Return/Enter PC: Return/Enter Selection: ☐ Toggle Object Platform: All Key gesture:	Description Replaces selected objects in the Composition with the selected Library object in the palette.	Focus: Library palette
Replace Mac: Enter PC: Enter Selection: ☐ Toggle Object Platform: All Key gesture:	Description Replaces selected objects in the Composition with the selected Library object in the palette.	Focus: Library palette

Revert Mac: F12 PC: F12 Selection: ☐ Toggle Platform: All Key gesture:	Description Reverts the document to its last saved version.	Focus: Composition Window Timeline Window Palette fields All palettes Inline Text mode Path Editing mode
Save Mac: Command • S PC: Control • S Selection: ☐ Toggle Platform: All Key gesture:	Description Saves the current document (will open the Save dialog if the document has never been saved).	Focus: Composition Window Timeline Window Script Editor Automation Script Editor Palette fields All palettes Inline Text mode Path Editing mode All Script Browsers
Save As Mac: Command • Shift • S PC: Control • Shift • S Selection: ☐ Toggle Platform: All Key gesture:	Description Opens the Save dialog.	Focus: Composition Window Timeline Window Script Editor Automation Script Editor Palette fields All palettes Inline Text mode Path Editing mode All Script Browsers
Select All Mac: Command • A PC: Control • A Selection: ☐ Toggle Platform: All Key gesture:	Description Selects all items in active control Composition & Timeline window: objects Scripting windows and Inline text mode: characters Path editing mode: nodes Palette fields: text	Focus: Composition Window Timeline Window Script Editor Automation Script Editor Debugger Palette fields Inline Text mode Path Editing mode
Undo Mac: Command • Z PC: Control • Z Selection: ☐ Toggle Platform: All Key gesture:	Description Undoes the last operation. Used multiple times will step further back in the Undo stack.	Focus: Composition Window Timeline Window Script Editor Automation Script Editor Palette fields Inline Text mode Path Editing mode

Undo Mac: PC: Alt • Backspace/Delete Selection: ☐ Toggle Platform: PC only Key gesture:	Description Undoes the last operation. Used multiple times will step further back in the Undo stack.	Focus: Composition Window Timeline Window Script Editor Automation Script Editor Palette fields Inline Text mode Path Editing mode
Apply style Mac: Shift • Click PC: Shift • Click Selection: ☐ Toggle Platform: All Key gesture:	Description Uses the Eyedropper or Paint Bucket tool to apply the last Style sampled with the Eyedropper or Paint Bucket tool to the selected object.	Focus: Composition Window All color tools Paint Bucket tool Eyedropper tool
Apply Style Mac: Return/Enter PC: Return/Enter Selection: ☐ Toggle Platform: All Key gesture:	Description Applies the currently selected Style to the selected objects in the Composition.	Focus: Styles palette
Apply Style Mac: Enter PC: Enter Selection: ☐ Toggle Platform: All Key gesture:	Description Applies the currently selected Style to the selected objects in the Composition.	Focus: Styles palette
Apply Texture Mac: Enter PC: Enter Selection: ☐ Toggle Platform: All Key gesture:	Description Applies the currently selected Texture to the selected objects in the Composition.	Focus: Textures palette

Apply Texture Mac: Return/Enter PC: Return/Enter Selection: Object ☐ Toggle Platform: All Key gesture:	Description Applies the currently selected Texture to the selected objects in the Composition.	Focus: Textures palette
Break Alias Mac: Command • Option • M PC: Control • Alt • M Selection: ☐ Toggle Platform: All Key gesture:	Description Changes selected aliases back into discreet objects.	Focus: Composition Window Timeline Window
Bring Forward Mac: Command •] (right bracket) PC: Control •] (right bracket) Selection: Objects ☐ Toggle Platform: All Key gesture:	Description Brings the selected objects up one level in the stacking order.	Focus: Composition Window Timeline Window
Bring to Front Mac: Command • Shift •] (right bracket) PC: Control • Shift •] (right bracket) Selection: Objects ☐ Toggle Platform: All Key gesture:	Description Brings the selected objects to the front the stacking order.	Focus: Composition Window Timeline Window
Deselect All Mac: Command • Shift • A PC: Control • Shift • A Selection: ☐ Toggle Platform: All Key gesture:	Description Unselects all items in active control: Composition & Timeline window: objects Scripting windows and Inline text mode: characters Path editing mode: nodes Palette fields: text	Focus: Composition Window Timeline Window Script Editor Automation Script Editor Debugger Inline Text mode Path Editing mode

Duplicate Mac: Command • D PC: Control • D Selection: ☐ Toggle object Platform: All Key gesture:	Description Duplicates selected objects.	Focus: Composition Window Timeline Window
Duplicate Mac: Option • Drag PC: Alt • Drag Selection: ☐ Toggle Object or keyframe Platform: All Key gesture:	Description Creates a duplicate of the selected object or keyframe.	Focus: Composition Window Timeline Window
Edit Name Mac: Return/Enter PC: Return/Enter Selection: ☐ Toggle Object in Timeline Platform: All Key gesture:	Description When an object in the Timeline is selected, this opens the “Edit Name” dialog.	Focus: Timeline Window
Edit Name Mac: Enter PC: Enter Selection: ☐ Toggle Object in Timeline Platform: All Key gesture:	Description When an object in the Timeline is selected, this opens the “Edit Name” dialog.	Focus: Timeline Window
Edit Name Mac: Option • \ (backslash) PC: Alt • \ (backslash) Selection: ☐ Toggle Object Platform: All Key gesture:	Description Opens the Edit Name dialog for selected objects.	Focus: Composition Window Timeline Window

Mac: Option • Double-click PC: Alt • Double-click Selection: Placed image file or vector (EPS/AI/PDF) file ☐ Toggle Platform: All Key gesture:	Description Opens the selected bitmap, vector, or HTML object in an external application for editing.	Focus: Composition Window Timeline Window
Mac: Command • G PC: Control • G Selection: Objects ☐ Toggle Platform: All Key gesture:	Description Groups the selected objects.	Focus: Composition Window Timeline Window
Mac: Option • S PC: Alt • S Selection: object ☐ Toggle Platform: All Key gesture:	Description Sets object's actual size to the size it as at current time.	Focus: Composition Window Timeline Window
Mac: Command • M PC: Control • M Selection: ☐ Toggle Platform: All Key gesture:	Description Creates aliases of the selected objects.	Focus: Composition Window Timeline Window
Mac: Option • Shift • Drag PC: Alt • Shift • Drag Selection: Object ☐ Toggle Platform: All Key gesture:	Description Creates and alias of the object.	Focus: Composition Window Timeline Window

Make Movie Clip Group Mac: Command • Shift • G PC: Control • Shift • G Selection: Objects ☐ Toggle Platform: All Key gesture: <td> Description Groups the selected object(s) and makes the group a Movie Clip. </td> <td> Focus: Composition Window Timeline Window </td>	Description Groups the selected object(s) and makes the group a Movie Clip.	Focus: Composition Window Timeline Window
New Layer Mac: Command • L PC: Control • L Selection: Object ☐ Toggle Platform: All Key gesture: <td> Description Creates a new Object Layer. </td> <td> Focus: Composition Window Timeline Window </td>	Description Creates a new Object Layer.	Focus: Composition Window Timeline Window
Replace... Mac: Command • Shift • I PC: Control • Shift • I Selection: object ☐ Toggle Platform: All Key gesture: <td> Description Opens the Replace dialog. </td> <td> Focus: Composition Window Timeline Window </td>	Description Opens the Replace dialog.	Focus: Composition Window Timeline Window
Replace via Drag & Drop Mac: Command • Drag PC: Control • Drag Selection: ☒ Toggle Platform: All Key gesture: <td> Description Holding the Cmd key while dragging a file into the Composition window would cause it to replace the object it was over. </td> <td> Focus: Composition Window </td>	Description Holding the Cmd key while dragging a file into the Composition window would cause it to replace the object it was over.	Focus: Composition Window
Scale from anchor point Mac: Drag PC: Drag Selection: All bounding box handles ☐ Toggle Platform: All Key gesture: <td> Description This scales the object using the Anchor point as the scaling axis. </td> <td> Focus: Composition Window </td>	Description This scales the object using the Anchor point as the scaling axis.	Focus: Composition Window

Scale from opposite side or corner Mac: Option • Drag PC: Alt • Drag Selection: All bounding box handles ☐ Toggle Platform: All Key gesture:	Description This scales an object from the opposite side or corner than the handle moved (the opposite handle stays fixed)	Focus: Composition Window
Scale using original aspect ratio Mac: Shift • Drag PC: Shift • Drag Selection: Corner handles of bounding box ☐ Toggle Platform: All Key gesture:	Description The original aspect ratio for objects is as follows: - Paths and Text objects: The aspect they were created with. - Ellipses, Rectangles, Rounded Rectangles, and Polygons: a “perfect” aspect, where each side is equal to all others.	Focus: Composition Window
Select Layer 1 Mac: Command • 1 PC: Control • 1 Selection: Object ☐ Toggle Platform: All Key gesture:	Description Selects the top object layer in the Object Layers palette.	Focus: Composition Window Timeline Window
Select Layer 2 Mac: Command • 2 PC: Control • 2 Selection: Object ☐ Toggle Platform: All Key gesture:	Description Selects the 2nd from top object layer in the Object Layers palette.	Focus: Composition Window Timeline Window
Select Layer 3 Mac: Command • 3 PC: Control • 3 Selection: Object ☐ Toggle Platform: All Key gesture:	Description Selects the 3rd from top object layer in the Object Layers palette.	Focus: Composition Window Timeline Window

Select Layer 4 Mac: Command • 4 PC: Control • 4 Selection: Object ☐ Toggle Platform: All Key gesture:	Description Selects the 4th from top object layer in the Object Layers palette.	Focus: Composition Window Timeline Window
Select Layer 5 Mac: Command • 5 PC: Control • 5 Selection: Object ☐ Toggle Platform: All Key gesture:	Description Selects the 5th from top object layer in the Object Layers palette.	Focus: Composition Window Timeline Window
Send Backward Mac: Command • [(left bracket) PC: Control • [(left bracket) Selection: Objects ☐ Toggle Platform: All Key gesture:	Description Sends objects one level down in the stacking order	Focus: Composition Window Timeline Window
Send to Back Mac: Command • Shift • [(left bracket) PC: Control • Shift • [(left bracket) Selection: Objects ☐ Toggle Platform: All Key gesture:	Description Sends objects to the bottom of the stacking order.	Focus: Composition Window Timeline Window
Show current Object Layer only Mac: Option • Click PC: Alt • Click Selection: Eye icon ☒ Toggle Platform: All Key gesture:	Description This will hide all other object layers in the Object Layers palette. Opt-click again to display all other object layers.	Focus: Object Layers palette

Switch to Transform tool behavior Mac: Command • Drag PC: Control • Drag Selection: ☐ Toggle All bounding box handles Platform: All Key gesture:	Description With the a selection tool active, holding the Cmd key makes bounding box handles act like the Transform tool is active.	Focus: Composition Window
Ungroup Mac: Command • U PC: Control • U Selection: ☐ Toggle Group Platform: All Key gesture:	Description Ungroups all selected groups.	Focus: Composition Window Timeline Window
Cancel Mac: Esc PC: Esc Selection: ☐ Toggle Platform: All Key gesture:	Description Chooses the Cancel button, which closes the dialog.	Focus: All dialogs
Cancel Mac: Command • C PC: Selection: ☐ Toggle Platform: Mac only Key gesture:	Description Chooses the Cancel button	Focus: Confirmation dialog
Close window Mac: PC: Control • F4 Selection: ☐ Toggle Platform: PC only Key gesture:	Description Closes the active window.	Focus: Composition Window Timeline Window Script Editor Automation Script Editor

Copy Mac: Command • C PC: Control • C	Selection: Many types of data Platform: All Key gesture:	Description Copies the current selection to the clipboard.	Focus: Composition Window Timeline Window Script Editor Automation Script Editor Debugger Palette fields Inline Text mode
Copy Mac: PC: Control • Insert	Selection: Many types of data Platform: PC only Key gesture:	Description Copies the current selection to the clipboard.	Focus: Composition Window Timeline Window Script Editor Automation Script Editor Debugger Palette fields Inline Text mode
Cut Mac: Command • X PC: Control • X	Selection: Many types of data Platform: All Key gesture:	Description Removes the current selection and saves it to the clipboard.	Focus: Composition Window Timeline Window Script Editor Automation Script Editor Palette fields Inline Text mode
Cut Mac: PC: Shift • Delete (del)	Selection: Platform: PC only Key gesture:	Description Removes the current selection and saves it to the clipboard.	Focus: Composition Window Timeline Window Script Editor Automation Script Editor Palette fields Inline Text mode
Decrease value in field by one Mac: PC: Down Arrow	Selection: Platform: PC only Key gesture:	Description Decrease the value in a field by 1. Only works on PC, and only for fields that have spin controls.	Focus: Palette fields

Default button Mac: Return/Enter PC: Return/Enter Selection: ☐ Toggle Platform: All Key gesture:	Description Chooses the default button in the dialog.	Focus: All dialogs
Default button Mac: Enter PC: Enter Selection: ☐ Toggle Platform: All Key gesture:	Description Chooses the default button in the dialog.	Focus: All dialogs
Don't Save Mac: Command • D PC: Selection: ☐ Toggle Platform: Mac only Key gesture:	Description Chooses the “Don't Save” button from the confirmation dialog.	Focus: Confirmation dialog
Increase value in field by one Mac: PC: Up Arrow Selection: ☐ Toggle Platform: PC only Key gesture:	Description Increase the value in a field by 1. Only works on PC, and only for fields that have spin controls.	Focus: Palette fields
LiveMotion Help... Mac: PC: F1 Selection: ☐ Toggle Platform: PC only Key gesture:	Description Opens online help for LiveMotion.	Focus: Composition Window Timeline Window Script Editor Automation Script Editor

Next window Mac: PC: Control • F6 Selection: ☐ Toggle Platform: PC only Key gesture:	Description Cycles focus through all open windows.	Focus: Composition Window Timeline Window Script Editor Automation Script Editor
No Mac: PC: N Selection: ☐ Toggle Platform: PC only Key gesture:	Description Chooses the “No” button from the confirmation dialog.	Focus: Confirmation dialog
Paste Mac: Command • V PC: Control • V Selection: ☐ Toggle Platform: All Key gesture:	Description Pastes the contents of the clipboard onto the active display. Many different types of data can be pasted.	Focus: Composition Window Timeline Window Script Editor Automation Script Editor Palette fields Inline Text mode
Paste Mac: PC: Shift • Insert Selection: ☐ Toggle Platform: PC only Key gesture:	Description Pastes the contents of the clipboard onto the active display. Many different types of data can be pasted.	Focus: Composition Window Timeline Window Script Editor Automation Script Editor Palette fields Inline Text mode
Quit (Exit) Mac: PC: Alt • F4 Selection: ☐ Toggle Platform: PC only Key gesture:	Description Quits the application.	Focus: Composition Window Timeline Window Script Editor Automation Script Editor Palette fields Inline Text mode Path Editing mode Preview mode

Save Mac: Command • S PC: Selection: ☐ Toggle Platform: Mac only Key gesture:	Description Chooses the “Save” button from the confirmation dialog.	Focus: Confirmation dialog
Yes Mac: PC: Y Selection: ☐ Toggle Platform: PC only Key gesture:	Description Chooses the “Yes” button from the confirmation dialog.	Focus: Confirmation dialog
Color palette Mac: F6 PC: F6 Selection: ☒ Toggle Platform: All Key gesture:	Description Shows/hides the Color palette	Focus: Composition Window Timeline Window
Export Settings... Mac: Command • Option • Shift • E PC: Control • Alt • Shift • E Selection: ☐ Toggle Platform: All Key gesture:	Description Displays the Export palette.	Focus: Composition Window Timeline Window
Hide All Palettes Mac: Tab PC: Tab Selection: ☒ Toggle Platform: All Key gesture:	Description Hides/shows all palettes.	Focus: Composition Window Timeline Window

Hide All Palettes except Tool bar Mac: Shift • Tab PC: Shift • Tab Selection: ☒ Toggle Platform: All Key gesture:	Description Hides/shows all palettes except the Tool bar	Focus: Composition Window Timeline Window
Layers palette Mac: F7 PC: F7 Selection: ☒ Toggle Platform: All Key gesture:	Description Shows/hides the Layers palette	Focus: Composition Window Timeline Window
Opacity palette Mac: F5 PC: F5 Selection: ☒ Toggle Platform: All Key gesture:	Description Shows/hides the Opacity palette	Focus: Composition Window Timeline Window
Properties palette Mac: F8 PC: F8 Selection: ☒ Toggle Platform: All Key gesture:	Description Shows/hides the Properties palette	Focus: Composition Window Timeline Window
States palette Mac: F11 PC: F11 Selection: ☒ Toggle Platform: All Key gesture:	Description Shows/hides the States palette	Focus: Composition Window Timeline Window

Styles palette Mac: F10 PC: F10 Selection: ☒ Toggle Platform: All Key gesture:	Description Shows/hides the Styles palette	Focus: Composition Window Timeline Window
Switch focus to next palette widget Mac: PC: Tab Selection: ☐ Toggle Platform: PC only Key gesture:	Description You can cycle focus for each of the UI elements in a palette in Windows.	Focus: Palette fields All palettes
Toggle button/checkbox state Mac: PC: Selection: Button or checkbox in palette ☒ Toggle Platform: PC only Key gesture:	Description When a button or checkbox has focus in a palette, the Space bar toggles it on or off (PC only)	Focus: All palettes
Transform palette Mac: F9 PC: F9 Selection: ☒ Toggle Platform: All Key gesture:	Description Shows/hides the Transform palette.	Focus: Composition Window Timeline Window
Change smooth point to corner point Mac: Option • Click PC: Alt • Click Selection: smooth path point ☐ Toggle Platform: All Key gesture:	Description Option-clicking on a smooth path point will change it to a corner point.	Focus: All path tools Path Editing mode

Constrain paths to 45° angles

Mac: Shift • Click

PC: Shift • Click

Selection:

☐ Toggle

Platform: All

Key gesture:

Description

Holding down the Shift key while creating paths with the Pen tool will constrain new control points to 45° angles from the previous control point.

Focus:

Pen tool

Path Editing mode

Leave path open

Mac: Command • Click

PC: Control • Click

Selection:

☐ Toggle

Platform: All

Key gesture:

Description

To complete the drawing of a path object but leave the path open, Cmd-click in the canvas away from other control points.

Focus:

Pen tool

Path Editing mode

Move a path direction handle independently

Mac: Option • Drag

PC: Alt • Drag

Selection:

☐ Toggle

Path direction handle

Platform: All

Key gesture:

Description

Option-dragging on a path direction handle will move it independently of the opposite direction handle.

Focus:

All path tools

Path Editing mode

Switch to opposite path tool behavior

Mac: Command

PC: Control

Selection:

☐ Toggle

Path object

Platform: All

Key gesture: Hold

Description

Holding the Cmd key will temporarily toggle the behavior of the cursor to the opposite path tool behavior. For example, if you were create a path object with the Pen tool, holding the Cmd key would let you move/edit the object via the Pen Select tool.

Focus:

All path tools

Path Editing mode

AutoSlice Area

Mac: Command • 7

PC: Control • 7

Selection:

☒ Toggle

Platform: All

Key gesture:

Description

Displays the slicing boundaries that will be used on export to AutoSliced format.

Focus:

Composition Window

Timeline Window

Preview Export Compression Mac: Command • 9 PC: Control • 9 Selection: ☒ Toggle Platform: All Key gesture:	Description Shows a preview of bitmap compression and bitmap/vector export to SWF.	Focus: Composition Window Timeline Window
Preview In [default browser] Mac: Command • Option • Enter PC: Control • Alt • Enter Selection: ☐ Toggle Platform: All Key gesture:	Description Exports the current composition as a Temp file and loads it in the default browser. The default browser is determined by the first alphabetic browser shortcut in the Helpers/Preview In folder.	Focus: Composition Window Timeline Window Script Editor Automation Script Editor
Preview In [default browser] Mac: PC: Control • Alt • Return/Enter Selection: ☐ Toggle Platform: PC only Key gesture:	Description Exports the current composition as a Temp file and loads it in the default browser. The default browser is determined by the first alphabetic browser shortcut in the Helpers/Preview In folder.	Focus: Composition Window Timeline Window Script Editor Automation Script Editor
Preview Mac/Windows Gamma Mac: Command • 8 PC: Control • 8 Selection: ☒ Toggle Platform: All Key gesture:	Description On Mac, command is “Preview Windows Gamma”. On PC, command is “Preview Mac Gamma”.	Focus: Composition Window Timeline Window
Preview Mode Mac: Command • Enter PC: Control • Enter Selection: ☒ Toggle Platform: All Key gesture:	Description Switches app to Preview Mode.	Focus: Composition Window Timeline Window Script Editor Automation Script Editor

Preview Mode Mac: PC: Control • Return/Enter Selection: ☒ Toggle Platform: PC only Key gesture:	Description Switches into and out of Preview Mode.	Focus: Composition Window Timeline Window Script Editor Automation Script Editor
Add a new line Mac: Return/Enter PC: Return/Enter Selection: ☐ Toggle Platform: All Key gesture:	Description Adds a line and places insertion point at previous line's indent position.	Focus: Script Editor Automation Script Editor
Add/Remove breakpoint Mac: F9 PC: F9 Selection: ☒ Toggle Platform: All Key gesture:	Description Adds/Removes a breakpoint at the line the insertion point is on.	Focus: Script Editor Automation Script Editor Debugger
Decrease font size in Script Editors Mac: Command • - (hyphen) PC: Control • - (hyphen) Selection: ☐ Toggle Platform: All Key gesture:	Description Decreases the point size of text in the Script pane of Script Editors and Debugger. Minimum point size is 7.	Focus: Script Editor Automation Script Editor Debugger
Disable/Enable breakpoint Mac: Command • F9 PC: Control • F9 Selection: ☒ Toggle Platform: All Key gesture:	Description Disables/enables the breakpoints for the selected lines of text.	Focus: Script Editor Automation Script Editor Debugger

Disable/Enable breakpoint Mac: Option • Click PC: Alt • Click Selection: ☒ Toggle Breakpoint Platform: All Key gesture:	Description Opt-click to disable/enable breakpoint	Focus: Script Editor Automation Script Editor Debugger
Find text in script Mac: Command • F PC: Control • F Selection: ☐ Toggle Platform: All Key gesture:	Description Opens the Find/Replace dialog.	Focus: Script Editor Automation Script Editor
Go To Next Script Mac: Command • Option •] (right bracket) PC: Control • Alt •] (right bracket) Selection: ☐ Toggle Platform: All Key gesture:	Description Browses forward one step in the script view history. Works like the Forward button on a web browser.	Focus: Script Editor
Go To Previous Script Mac: Command • Option • [(left bracket) PC: Control • Alt • [(left bracket) Selection: ☐ Toggle Platform: All Key gesture:	Description Browses backward one step in the script view history. Works like the Forward button on a web browser.	Focus: Script Editor
Increase font size in Script Editors Mac: Command • = (equal) PC: Control • = (equal) Selection: ☐ Toggle Platform: All Key gesture:	Description Increases the point size of text in the Script pane of Script Editors and Debugger. Maximum point size is 24.	Focus: Script Editor Automation Script Editor Debugger

Increase selection 1 word left Mac: Option • Shift • Left Arrow PC: Alt • Shift • Left Arrow Selection: text ☐ Toggle Platform: All Key gesture: Description Increases selection from current insertion point/selection to the beginning of the previous word on the left. Focus: Script Editor Automation Script Editor
Increase selection 1 word left Mac: PC: Control • Shift • Left Arrow Selection: text ☐ Toggle Platform: PC only Key gesture: Description Increases selection from current insertion point/selection to the beginning of the previous word on the left. Focus: Script Editor Automation Script Editor
Increase selection 1 word right Mac: Option • Shift • Right Arrow PC: Alt • Shift • Right Arrow Selection: text ☐ Toggle Platform: All Key gesture: Description Increases selection from current insertion point/selection to the end of the next word on the right. Focus: Script Editor Automation Script Editor
Increase selection 1 word right Mac: PC: Control • Shift • Right Arrow Selection: text ☐ Toggle Platform: PC only Key gesture: Description Increases selection from current insertion point/selection to the end of the next word on the right. Focus: Script Editor Automation Script Editor
Increase selection to beginning of line Mac: Command • Shift • Left Arrow PC: Selection: text ☐ Toggle Platform: Mac only Key gesture: Description Increases selection from the current insertion point/selection to the beginning of the line. Focus: Script Editor Automation Script Editor

Increase selection to beginning of line Mac: PC: Shift • Home Selection: text ☐ Toggle Platform: PC only Key gesture: <td> Description Increases selection from the current insertion point/selection to the beginning of the line. </td> <td> Focus: Script Editor Automation Script Editor </td>	Description Increases selection from the current insertion point/selection to the beginning of the line.	Focus: Script Editor Automation Script Editor
Increase selection to beginning of script Mac: Command • Shift • Up Arrow PC: Selection: text ☐ Toggle Platform: Mac only Key gesture: <td> Description Increases selection to the beginning of the script. </td> <td> Focus: Script Editor Automation Script Editor </td>	Description Increases selection to the beginning of the script.	Focus: Script Editor Automation Script Editor
Increase selection to end of line Mac: Command • Shift • Right Arrow PC: Selection: text ☐ Toggle Platform: Mac only Key gesture: <td> Description Increases selection from the current insertion point/selection to the end of the line. </td> <td> Focus: Script Editor Automation Script Editor </td>	Description Increases selection from the current insertion point/selection to the end of the line.	Focus: Script Editor Automation Script Editor
Increase selection to end of line Mac: PC: Shift • End Selection: text ☐ Toggle Platform: PC only Key gesture: <td> Description Increases selection to end of the current line of text. </td> <td> Focus: Script Editor Automation Script Editor </td>	Description Increases selection to end of the current line of text.	Focus: Script Editor Automation Script Editor
Increase selection to end of script Mac: Command • Shift • Down Arrow PC: Selection: text ☐ Toggle Platform: Mac only Key gesture: <td> Description Increases selection from the current insertion point/selection to the end of the script. </td> <td> Focus: Script Editor Automation Script Editor </td>	Description Increases selection from the current insertion point/selection to the end of the script.	Focus: Script Editor Automation Script Editor

Move insertion point to beginning of line Mac: PC: Home Selection: ☐ Toggle Platform: PC only Key gesture: <td> Description Moves the insertion point to the beginning of the line. </td> <td> Focus: Script Editor Automation Script Editor </td>	Description Moves the insertion point to the beginning of the line.	Focus: Script Editor Automation Script Editor
Move insertion point to beginning of script Mac: Command • Up Arrow PC: Selection: ☐ Toggle Platform: Mac only Key gesture: <td> Description Moves the insertion point to the beginning of the script. </td> <td> Focus: Script Editor Automation Script Editor </td>	Description Moves the insertion point to the beginning of the script.	Focus: Script Editor Automation Script Editor
Move insertion point to end of line Mac: Command • Right Arrow PC: Selection: ☐ Toggle Platform: Mac only Key gesture: <td> Description Moves the insertion point to the end of the line. </td> <td> Focus: Script Editor Automation Script Editor </td>	Description Moves the insertion point to the end of the line.	Focus: Script Editor Automation Script Editor
Move insertion point to end of line Mac: PC: End Selection: ☐ Toggle Platform: PC only Key gesture: <td> Description Moves the insertion point to the end of the line. </td> <td> Focus: Script Editor Automation Script Editor </td>	Description Moves the insertion point to the end of the line.	Focus: Script Editor Automation Script Editor
Move insertion point to end of script Mac: Command • Down Arrow PC: Selection: ☐ Toggle Platform: Mac only Key gesture: <td> Description Moves the insertion point to the end of the script. </td> <td> Focus: Script Editor Automation Script Editor </td>	Description Moves the insertion point to the end of the script.	Focus: Script Editor Automation Script Editor

New Script...

Mac: Command • Option • N

PC: Control • Alt • N

Selection:

☐ Toggle

Platform: All

Key gesture:

Description

Opens a new automation script in the Automation Script Editor.

Focus:

Composition Window

Timeline Window

Open Automation Syntax Helper

Mac: Command • 4

PC: Control • 4

Selection:

☐ Toggle

Platform: All

Key gesture:

Description

Opens the Automation Syntax Helper.

Focus:

Script Editor

Automation Script Editor

Open Composition Browser

Mac: Command • 3

PC: Control • 3

Selection:

☐ Toggle

Platform: All

Key gesture:

Description

Opens the Composition browser, which lets you target movie clips, states, and labels.

Focus:

Script Editor

Open Movie Clip Navigator

Mac: Command • 1

PC: Control • 1

Selection:

☐ Toggle

Platform: All

Key gesture:

Description

Opens the Movie Clip Navigator, which allows users to choose the movie clip to edit scripts on.

Focus:

Script Editor

Open Scripting Syntax Helper

Mac: Command • 2

PC: Control • 2

Selection:

☐ Toggle

Platform: All

Key gesture:

Description

Opens the Scripting Syntax Helper.

Focus:

Script Editor

Automation Script Editor

Run Last Automation Script Mac: Command • Shift • Y PC: Control • Shift • Y Selection: ☐ Toggle Platform: All Key gesture:	Description Runs the last script chosen from the Scripts menu	Focus: Composition Window Timeline Window
Run script Mac: F5 PC: F5 Selection: ☐ Toggle Platform: All Key gesture:	Description Runs script in debugger.	Focus: Debugger
Run script Mac: R PC: R Selection: ☐ Toggle Platform: All Key gesture:	Description Runs script in debugger.	Focus: Debugger
Script Editor Mac: Command • J PC: Control • J Selection: ☐ Toggle Platform: All Key gesture:	Description Opens the Script Editor. If open, this would switch focus to the Script Editor.	Focus: Composition Window Timeline Window
Scroll one page down Mac: Page Down PC: Page Down Selection: ☐ Toggle Platform: All Key gesture:	Description Scrolls view one page down.	Focus: Script Editor Automation Script Editor

Scroll one page up Mac: Page Up PC: Page Up Selection: ☐ Toggle Platform: All Key gesture:	Description Scroll view one page up.	Focus: Script Editor Automation Script Editor
Scroll one window length down Mac: Page Down PC: Page Down Selection: ☐ Toggle Platform: All Key gesture:	Description Scroll the tree list one screen down. Scrolling increment determined by current window size.	Focus: Debugger All Script Browsers
Scroll one window length up Mac: Page Up PC: Page Up Selection: ☐ Toggle Platform: All Key gesture:	Description Scroll the tree list one window length up. Scrolling increment determined by current window size.	Focus: Debugger All Script Browsers
Scroll to bottom Mac: End PC: End Selection: ☐ Toggle Platform: All Key gesture:	Description Scroll to the bottom of the tree control list.	Focus: Debugger All Script Browsers
Scroll to top Mac: Home PC: Home Selection: ☐ Toggle Platform: All Key gesture:	Description Scroll to the top of the tree control list.	Focus: Debugger All Script Browsers

Scroll window to beginning of script Mac: Home PC: Selection: ☐ Toggle Platform: Mac only Key gesture:	Description Moves the insertion point to the beginning of the line.	Focus: Script Editor Automation Script Editor
Scroll window to end of script Mac: End PC: Selection: ☐ Toggle Platform: Mac only Key gesture:	Description Moves the insertion point to the beginning of the line.	Focus: Script Editor Automation Script Editor
Shift lines 1 tab space left Mac: Command • [(left bracket) PC: Control • [(left bracket) Selection: ☐ Toggle Platform: All Key gesture:	Description Shifts selected lines one tab space left.	Focus: Script Editor Automation Script Editor
Shift lines 1 tab space left Mac: PC: Shift • Tab Selection: ☐ Toggle Platform: PC only Key gesture:	Description Shifts selected lines one tab space left. This only works when entire lines are selected. Otherwise a tab character will be inserted or will replace existing text.	Focus: Script Editor Automation Script Editor
Shift lines 1 tab space right Mac: Command •] (right bracket) PC: Control •] (right bracket) Selection: ☐ Toggle Platform: All Key gesture:	Description Shifts selected lines one tab space right.	Focus: Script Editor Automation Script Editor

Shift lines 1 tab space right Mac: PC: Tab Selection: ☐ Toggle Platform: PC only Key gesture:	Description Shifts selected lines one tab space right. This only works when entire lines are selected. Otherwise a tab character will be inserted or will replace existing text.	Focus: Script Editor Automation Script Editor
Step Into current function Mac: F11 PC: F11 Selection: ☐ Toggle Platform: All Key gesture:	Description Moves the debugger's pointer into the current function.	Focus: Debugger
Step Into current function Mac: I PC: I Selection: ☐ Toggle Platform: All Key gesture:	Description Moves the debugger's pointer into the current function.	Focus: Debugger
Step Out of current function Mac: U PC: U Selection: ☐ Toggle Platform: All Key gesture:	Description Moves the debugger's pointer out of the current function.	Focus: Debugger
Step Out of current function Mac: Shift • F11 PC: Shift • F11 Selection: ☐ Toggle Platform: All Key gesture:	Description Moves the debugger's pointer out of the current function.	Focus: Debugger

Step to next script line Mac: S PC: S Selection: ☐ Toggle Platform: All Key gesture:	Description Moves the debugger's pointer to the next scripting line.	Focus: Debugger
Step to next script line Mac: F10 PC: F10 Selection: ☐ Toggle Platform: All Key gesture:	Description Moves the debugger's pointer to the next scripting line.	Focus: Debugger
Switch focus to next pane/field Mac: Tab PC: Tab Selection: ☐ Toggle Platform: All Key gesture:	Description Debugger : Tab will cycle focus thru each pane of the debugger and the variable field. Script Editor : Tab will cycle from the Description and Browser panes to the Script pane. Once the Script pane has focus you switch to inline text mode so tab will change gesture.	Focus: Script Editor Debugger
Play Sound Mac: Return/Enter PC: Return/Enter Selection: ☐ Toggle Platform: All Key gesture:	Description Plays the currently selected sound in the Sounds palette	Focus: Sounds palette
Play Sound Mac: Enter PC: Enter Selection: ☐ Toggle Platform: All Key gesture:	Description Plays the currently selected sound in the Sounds palette	Focus: Sounds palette

Scrub audio Mac: Command • Drag PC: Control • Drag Selection: CTI ☐ Toggle Platform: All Key gesture:	Description Allows you to “scrub” audio objects in the timeline, meaning you hear each sample of audio that you drag the CTI over (same as AE).	Focus: Timeline Window
Add to selection by line Mac: Triple-click • Drag PC: Triple-click • Drag Selection: text ☐ Toggle Platform: All Key gesture:	Description Adds to the current text selection by line by dragging the cursor over text.	Focus: Script Editor Automation Script Editor Inline Text mode
Add to selection by paragraph Mac: Quadruple-click • Drag PC: Quadruple-click • Drag Selection: text ☐ Toggle Platform: All Key gesture:	Description Adds to the current text selection by paragraph by dragging the cursor over text.	Focus: Inline Text mode
Add to selection by word Mac: Double-click • Drag PC: Double-click • Drag Selection: text ☐ Toggle Platform: All Key gesture:	Description Adds to the current text selection by word by dragging the cursor over text.	Focus: Script Editor Automation Script Editor Inline Text mode
Enter inline text edit mode Mac: Return/Enter PC: Return/Enter Selection: Text object ☐ Toggle Platform: All Key gesture:	Description With a text object selected (an not in inline mode already), hitting Enter/Return will enter inline text edit mode.	Focus: Composition Window

Enter inline text edit mode Mac: Enter PC: Enter Selection: Text object ☐ Toggle Platform: All Key gesture:	Description With a text object selected (an not in inline mode already), hitting Enter will enter inline text edit mode.	Focus: Composition Window
Exit inline text edit mode Mac: Esc PC: Esc Selection: Text object ☐ Toggle Platform: All Key gesture:	Description With a text object in inline mode, hitting Esc will exit inline text edit mode.	Focus: Composition Window
Increase selection 1 character to the left Mac: Shift • Left Arrow PC: Shift • Left Arrow Selection: text ☐ Toggle Platform: All Key gesture:	Description Increases selection from the current insertion point/selection to the left 1 character.	Focus: Script Editor Automation Script Editor Inline Text mode
Increase selection 1 character to the right Mac: Shift • Right Arrow PC: Shift • Right Arrow Selection: text ☐ Toggle Platform: All Key gesture:	Description Increases selection from the current insertion point/selection to the right 1 character.	Focus: Script Editor Automation Script Editor Inline Text mode
Increase selection 1 word left Mac: Command • Shift • Left Arrow PC: Control • Shift • Left Arrow Selection: text ☐ Toggle Platform: All Key gesture:	Description Increases selection from current insertion point/selection to the beginning of the previous word on the left.	Focus: Inline Text mode

Increase selection to end of text Mac: Command • Shift • End PC: Control • Shift • End Selection: text ☐ Toggle Platform: All Key gesture: <td> Description Increases selection to the end of the text. </td> <td> Focus: Script Editor Automation Script Editor Inline Text mode </td>	Description Increases selection to the end of the text.	Focus: Script Editor Automation Script Editor Inline Text mode
Increase selection to next paragraph Mac: Command • Shift • Down Arrow PC: Control • Shift • Down Arrow Selection: text ☐ Toggle Platform: All Key gesture: <td> Description Increases selection to the beginning of the next paragraph. Each successive use will increase selection one more paragraph down. </td> <td> Focus: Inline Text mode </td>	Description Increases selection to the beginning of the next paragraph. Each successive use will increase selection one more paragraph down.	Focus: Inline Text mode
Increase selection to previous paragraph Mac: Command • Shift • Up Arrow PC: Control • Shift • Up Arrow Selection: text ☐ Toggle Platform: All Key gesture: <td> Description Increases selection to the beginning of the current paragraph. Each successive use will increase selection one more paragraph up. </td> <td> Focus: Inline Text mode </td>	Description Increases selection to the beginning of the current paragraph. Each successive use will increase selection one more paragraph up.	Focus: Inline Text mode
Move insertion point 1 word left Mac: Command • Left Arrow PC: Control • Left Arrow Selection: ☐ Toggle Platform: All Key gesture: <td> Description Moves the insertion point to the beginning of the previous word. </td> <td> Focus: Inline Text mode </td>	Description Moves the insertion point to the beginning of the previous word.	Focus: Inline Text mode
Move insertion point 1 word right Mac: Command • Right Arrow PC: Control • Right Arrow Selection: ☐ Toggle Platform: All Key gesture: <td> Description Moves the insertion point to the beginning of the next word. </td> <td> Focus: Inline Text mode </td>	Description Moves the insertion point to the beginning of the next word.	Focus: Inline Text mode

Move insertion point to beginning of line Mac: Home PC: Home Selection: ☐ Toggle Platform: All Key gesture:	Description Moves the insertion point to the beginning of the line.	Focus: Inline Text mode
Move insertion point to beginning of text Mac: Command • Home PC: Control • Home Selection: ☐ Toggle Platform: All Key gesture:	Description Moves the insertion point to the beginning of the text.	Focus: Script Editor Automation Script Editor Inline Text mode
Move insertion point to end of line Mac: End PC: End Selection: ☐ Toggle Platform: All Key gesture:	Description Moves the insertion point to the end of the line.	Focus: Inline Text mode
Move insertion point to end of text Mac: Command • End PC: Control • End Selection: ☐ Toggle Platform: All Key gesture:	Description Moves the insertion point to the end of the text.	Focus: Script Editor Automation Script Editor Inline Text mode
Move Insertion Point to next paragraph Mac: Command • Down Arrow PC: Control • Down Arrow Selection: ☐ Toggle Platform: All Key gesture:	Description Moves insertion point to the beginning of the next paragraph. Each successive use will move insertion point one more paragraph down.	Focus: Inline Text mode

Move Insertion Point to previous paragraph Mac: Command • Up Arrow PC: Control • Up Arrow Selection: ☐ Toggle Platform: All Key gesture: Description Moves insertion point to the beginning of the current paragraph. Each successive use will move insertion point one more paragraph up. Focus: Inline Text mode
Select line Mac: Triple-click PC: Triple-click Selection: ☐ Toggle Platform: All Key gesture: Description Selects entire line of text. Focus: Script Editor Automation Script Editor Inline Text mode
Select paragraph Mac: Quadruple-click PC: Quadruple-click Selection: ☐ Toggle Platform: All Key gesture: Description Selects paragraph of text. Focus: Inline Text mode
Select word Mac: Double-click PC: Double-click Selection: ☐ Toggle Platform: All Key gesture: Description Selects a word. Focus: Script Editor Automation Script Editor Inline Text mode
Add Anchor Point attribute to view Mac: Shift • A PC: Shift • A Selection: ☒ Toggle Platform: All Key gesture: Description Adds the Anchor Point attribute to the currently viewed attributes (Same as AE). Scrolls the timeline window if necessary. Focus: Timeline Window

Add Object Opacity attribute to view Mac: Shift • T PC: Shift • T Selection: ☒ Toggle Platform: All Key gesture:	Description Adds the Object Attribute attribute to the currently viewed attributes (similar to AE). Scrolls the timeline window if necessary.	Focus: Timeline Window
Add Position attribute to view Mac: Shift • P PC: Shift • P Selection: ☒ Toggle Platform: All Key gesture:	Description Adds the Position attribute to the currently viewed attributes (Same as AE). Scrolls the timeline window if necessary.	Focus: Timeline Window
Add Rotation attribute to view Mac: Shift • R PC: Shift • R Selection: ☒ Toggle Platform: All Key gesture:	Description Adds the Rotation attribute to the currently viewed attributes (Same as AE). Scrolls the timeline window if necessary.	Focus: Timeline Window
Add Scale attribute to view Mac: Shift • S PC: Shift • S Selection: ☒ Toggle Platform: All Key gesture:	Description Adds the Scale attribute to the currently viewed attributes (Same as AE). Scrolls the timeline window if necessary.	Focus: Timeline Window
Add Skew attribute to view Mac: Shift • W PC: Shift • W Selection: ☒ Toggle Platform: All Key gesture:	Description Adds the Skew attribute to the currently viewed attributes (Same as AE). Scrolls the timeline window if necessary.	Focus: Timeline Window

Go To End of Timeline Mac: End PC: End Selection: ☐ Toggle Platform: All Key gesture:	Description Moves CTI to the end of the timeline.	Focus: Timeline Window
Go To Start of Timeline Mac: Home PC: Home Selection: ☐ Toggle Platform: All Key gesture:	Description Moves CTI to the start of the timeline	Focus: Timeline Window
Move CTI backward one frame Mac: Page Up PC: Page Up Selection: ☐ Toggle Platform: All Key gesture:	Description Moves the CTI backward one frame at a time	Focus: Timeline Window
Move CTI backward ten frames Mac: Shift • Page Up PC: Shift • Page Up Selection: ☐ Toggle Platform: All Key gesture:	Description Moves the CTI backward ten frames at a time	Focus: Timeline Window
Move CTI forward one frame Mac: Page Down PC: Page Down Selection: ☐ Toggle Platform: All Key gesture:	Description Moves the CTI forward one frame.	Focus: Timeline Window

Move CTI forward ten frames Mac: Shift • Page Down PC: Shift • Page Down Selection: ☐ Toggle Platform: All Key gesture:	Description Moves the CTI forward ten frames at a time	Focus: Timeline Window
New Anchor Point Keyframe Mac: Option • Shift • A PC: Alt • Shift • A Selection: ☐ Toggle Platform: All Key gesture:	Description Creates a new Anchor Point keyframe at current CTI position.	Focus: Composition Window Timeline Window
New Opacity Keyframe Mac: Option • Shift • T PC: Alt • Shift • T Selection: ☐ Toggle object Platform: All Key gesture:	Description Creates a new Object Opacity keyframe at the current CTI position.	Focus: Composition Window Timeline Window
New Position Keyframe Mac: Option • Shift • P PC: Alt • Shift • P Selection: ☐ Toggle Object Platform: All Key gesture:	Description Creates a new Position keyframe at the current CTI position.	Focus: Composition Window Timeline Window
New Rotation Keyframe Mac: Option • Shift • R PC: Alt • Shift • R Selection: ☐ Toggle object Platform: All Key gesture:	Description Creates a new Rotation keyframe at the current CTI position.	Focus: Composition Window Timeline Window

New Scale Keyframe

Mac: Option • Shift • S

PC: Alt • Shift • S

Selection:

☐ Toggle

object

Platform: All

Key gesture:

Description

Creates a new Scale keyframe at the current CTI position.

Focus:

Composition Window

Timeline Window

Next Keyframe

Mac: Option • K

PC: Alt • K

Selection:

☐ Toggle

Platform: All

Key gesture:

Description

Moves CTI to next visible keyframe

Focus:

Composition Window

Timeline Window

Object duration stretch (Time Stretch)

Mac: Option • Drag

PC: Alt • Drag

Selection:

☐ Toggle

Object duration handle

Platform: All

Key gesture:

Description

Option-dragging the duration handle of an object will adjust its keyframes to maintain their relative proportion.

Focus:

Timeline Window

Play/Stop

Mac: Space Bar

PC: Space Bar

Selection:

☒ Toggle

Platform: All

Key gesture:

Description

Begins and stops playback in the Timeline.

Focus:

Composition Window

Timeline Window

Previous Keyframe

Mac: Option • J

PC: Alt • J

Selection:

☐ Toggle

Platform: All

Key gesture:

Description

Move CTI to the previous visible keyframe

Focus:

Composition Window

Timeline Window

Reveal Anchor Point attribute Mac: A PC: A Selection: ☒ Toggle Platform: All Key gesture:	Description Reveals the Anchor Point stopwatch for the currently selected objects (Same as AE). Scrolls the timeline window if necessary.	Focus: Timeline Window
Reveal animated attributes Mac: U PC: U Selection: ☒ Toggle Platform: All Key gesture:	Description Reveal only the attributes that have keyframes set for them.	Focus: Timeline Window
Reveal Object Opacity attribute Mac: T PC: T Selection: ☒ Toggle Platform: All Key gesture:	Description Displays the Object Opacity attribute for the currently selected objects (similar to AE). Scrolls the timeline window if necessary.	Focus: Timeline Window
Reveal Position attribute Mac: P PC: P Selection: ☒ Toggle Platform: All Key gesture:	Description Displays the Position attribute for the currently selected objects (Same as AE). Scrolls the timeline window if necessary.	Focus: Timeline Window
Reveal Rotation attribute Mac: R PC: R Selection: ☒ Toggle Platform: All Key gesture:	Description Displays the Rotation attribute for the currently selected objects (Same as AE). Scrolls the timeline window if necessary.	Focus: Timeline Window

Reveal Scale attribute Mac: S PC: S Selection: ☒ Toggle Platform: All Key gesture:	Description Displays the Scale attribute for the currently selected objects (Same as AE). Scrolls the timeline window if necessary.	Focus: Timeline Window
Reveal Skew attribute Mac: W PC: W Selection: ☒ Toggle Platform: All Key gesture:	Description Displays the Skew attribute for the currently selected objects (Same as AE). Scrolls the timeline window if necessary.	Focus: Timeline Window
Scrub movie clip contents Mac: Option • Drag PC: Alt • Drag Selection: CTI ☐ Toggle Platform: All Key gesture:	Description Option-dragging the CTI scrubs the animation inside a movie clip.	Focus: Timeline Window
Select item above Mac: Up Arrow PC: Up Arrow Selection: Item in tree display ☐ Toggle Platform: All Key gesture:	Description Selects the next higher item in the tree control. Only selects visible items (i.e. not within a collapsed twisty).	Focus: Timeline Window Debugger All Script Browsers
Select item below Mac: Down Arrow PC: Down Arrow Selection: Item in tree display ☐ Toggle Platform: All Key gesture:	Description Selects the next lower item in the tree control. Only selects visible items (i.e. not within a collapsed twisty).	Focus: Timeline Window Debugger All Script Browsers

Step into selected Movie Clip Mac: Double-click PC: Double-click Selection: MovieClip in timeline ☐ Toggle Platform: All Key gesture:	Description Switches Timeline view to show selected MovieClip's timeline.	Focus: Timeline Window
Timeline /Composition Window Mac: Command • T PC: Control • T Selection: ☒ Toggle Platform: All Key gesture:	Description Opens the Timeline window if it is closed. Will switch between Timeline and Composition windows if both are open.	Focus: Composition Window Timeline Window
Crop Tool Mac: C PC: C Selection: ☐ Toggle Platform: All Key gesture: Tap	Description Switches the current tool to the Crop tool.	Focus: Composition Window Timeline Window
Crop Tool Mac: C PC: C Selection: ☐ Toggle Platform: All Key gesture: Hold	Description Temporarily switches the current tool to the Crop tool.	Focus: Composition Window Timeline Window
Drag Selection Tool Mac: U PC: U Selection: ☐ Toggle Platform: All Key gesture: Tap	Description Switches current tool to the Drag Selection tool.	Focus: Composition Window

Drag Selection Tool Mac: U PC: U Selection: ☐ Toggle Platform: All Key gesture: Hold	Description Temporarily switches current tool to the Drag Selection tool.	Focus: Composition Window
Ellipse Tool Mac: L PC: L Selection: ☐ Toggle Platform: All Key gesture: Tap	Description Switches the current tool to the Ellipse tool.	Focus: Composition Window Timeline Window
Ellipse Tool Mac: L PC: L Selection: ☐ Toggle Platform: All Key gesture: Hold	Description Temporarily switches the current tool to the Ellipse tool.	Focus: Composition Window Timeline Window
Eyedropper Tool Mac: I PC: I Selection: ☐ Toggle Platform: All Key gesture: Tap	Description Switches tool to the Eyedropper tool.	Focus: Composition Window Timeline Window
Eyedropper Tool Mac: I PC: I Selection: ☐ Toggle Platform: All Key gesture: Hold	Description Temporarily switches tool to the Eyedropper tool.	Focus: Composition Window Timeline Window

Hand Tool Mac: H PC: H Selection: ☐ Toggle Platform: All Key gesture: Tap	Description Switches current tool to the Hand tool.	Focus: Composition Window Timeline Window
Hand Tool Mac: H PC: H Selection: ☐ Toggle Platform: All Key gesture: Hold	Description Temporarily switches current tool to the Hand tool.	Focus: Composition Window Timeline Window
Layer Offset Tool Mac: O PC: O Selection: ☐ Toggle Platform: All Key gesture: Tap	Description Switches current tool to the Layer Offset tool.	Focus: Composition Window Timeline Window
Layer Offset Tool Mac: O PC: O Selection: ☐ Toggle Platform: All Key gesture: Hold	Description Temporarily switches current tool to the Layer Offset tool.	Focus: Composition Window Timeline Window
Paint Bucket Tool Mac: K PC: K Selection: ☐ Toggle Platform: All Key gesture: Tap	Description Switches current tool to the Paint Bucket tool.	Focus: Composition Window Timeline Window

Paint Bucket Tool Mac: K PC: K Selection: ☐ Toggle Platform: All Key gesture: Hold	Description Temporarily switches current tool to the Paint Bucket tool.	Focus: Composition Window Timeline Window
Pen Select Tool Mac: S PC: S Selection: ☐ Toggle Platform: All Key gesture: Tap	Description Switches current tool to the Pen Select tool	Focus: Composition Window
Pen Select Tool Mac: S PC: S Selection: ☐ Toggle Platform: All Key gesture: Hold	Description Switches current tool to the Pen Select tool	Focus: Composition Window
Pen Tool Mac: P PC: P Selection: ☐ Toggle Platform: All Key gesture: Tap	Description Switches current tool to the Pen tool.	Focus: Composition Window
Pen Tool Mac: P PC: P Selection: ☐ Toggle Platform: All Key gesture: Hold	Description Temporarily switches current tool to the Pen tool.	Focus: Composition Window

Polygon Tool Mac: N PC: N Selection: ☐ Toggle Platform: All Key gesture: Tap	Description Switches current tool to the Polygon tool.	Focus: Composition Window Timeline Window
Polygon Tool Mac: N PC: N Selection: ☐ Toggle Platform: All Key gesture: Hold	Description Temporarily switches current tool to the Polygon tool.	Focus: Composition Window Timeline Window
Preview Mode Mac: Q PC: Q Selection: ☐ Toggle Platform: All Key gesture:	Description Switches to Preview Mode.	Focus: Composition Window Timeline Window
Rectangle Tool Mac: M PC: M Selection: ☐ Toggle Platform: All Key gesture: Tap	Description Switches current tool to the Rectangle tool.	Focus: Composition Window Timeline Window
Rectangle Tool Mac: M PC: M Selection: ☐ Toggle Platform: All Key gesture: Hold	Description Temporarily switches current tool to the Rectangle tool.	Focus: Composition Window Timeline Window

Mac: R PC: R Selection: ☐ Toggle Platform: All Key gesture: Tap	Description Switches current tool to the Rounded Rectangle tool.	Focus: Composition Window
Mac: R PC: R Selection: ☐ Toggle Platform: All Key gesture: Hold	Description Temporarily switches current tool to the Rounded Rectangle tool.	Focus: Composition Window
Mac: V PC: V Selection: ☐ Toggle Platform: All Key gesture: Tap	Description Switches current tool to the Selection tool.	Focus: Composition Window Timeline Window
Mac: V PC: V Selection: ☐ Toggle Platform: All Key gesture: Hold	Description Temporarily switches current tool to the Selection tool.	Focus: Composition Window Timeline Window
Mac: A PC: A Selection: ☐ Toggle Platform: All Key gesture: Hold	Description Temporarily switches current tool to the Subgroup Selection Tool.	Focus: Composition Window

Subgroup Selection Tool Mac: A PC: A Selection: ☐ Toggle Platform: All Key gesture: Tap	Description Switches the current tool to the Subgroup Selection Tool.	Focus: Composition Window
Text Field tool Mac: Y PC: Y Selection: ☐ Toggle Platform: All Key gesture: Tap	Description Switches current tool to the Text Field tool.	Focus: Composition Window Timeline Window
Text Field tool Mac: Y PC: Y Selection: ☐ Toggle Platform: All Key gesture: Hold	Description Temporarily switches current tool to the Text Field tool.	Focus: Composition Window Timeline Window
Transform Tool Mac: E PC: E Selection: ☐ Toggle Platform: All Key gesture: Tap	Description Switches current tool to the Transform tool.	Focus: Composition Window Timeline Window
Transform Tool Mac: E PC: E Selection: ☐ Toggle Platform: All Key gesture: Hold	Description Temporarily switches current tool to the Transform tool.	Focus: Composition Window Timeline Window

Type Tool Mac: T PC: T Selection: ☐ Toggle Platform: All Key gesture: Tap	Description Switches current tool to the Type tool.	Focus: Composition Window
Type Tool Mac: T PC: T Selection: ☐ Toggle Platform: All Key gesture: Hold	Description Temporarily switches current tool to the Type tool.	Focus: Composition Window
Zoom Out Mac: Option • Z PC: Alt • Z Selection: ☐ Toggle Platform: All Key gesture: Hold	Description Temporarily switches tool to Zoom Out tool.	Focus: Composition Window
Zoom Tool Mac: Z PC: Z Selection: ☐ Toggle Platform: All Key gesture: Tap	Description Switches current tool to Zoom tool (defaults to Zoom in).	Focus: Composition Window Timeline Window
Zoom Tool Mac: Z PC: Z Selection: ☐ Toggle Platform: All Key gesture: Hold	Description Temporarily switches current tool to the Zoom tool (defaults to Zoom in)	Focus: Timeline Window Composition Window